

[www.certsgoal.com](http://www.certsgoal.com)

# QUESTIONS & ANSWERS



**DEMO VERSION**

# Fortinet

NSE8\_811 Exam

Fortinet NSE 8 Written Exam (NSE8\_811) Exam


Version: 4.0

---

## Question: 1

---

Refer to the exhibit.



The exhibit shows a full-mesh topology between FortiGate and FortiSwitch devices. To deploy this configuration, two requirements must be met:

- 20 Gbps full duplex connectivity is available between each FortiGate and the FortiSwitch devices
- The FortiGate HA must be in AP mode

Referring to the exhibit, what are two actions that will fulfill the requirements? (Choose two.)

- A. Configure the master FortiGate with one LAG and FortiLink split interface disabled on ports connected to cables A and C and make sure the same ports are used for cables B and D on the slave.
- B. Configure the master FortiGate with one LAG and FortiLink split interface enabled on ports connected to cables A and C and make sure the same ports are used for cables B and D on the slave.
- C. Configure both FortiSwitch devices as peers with ICL over cable E, create one MCLAG on ports connected to cables A and C, and create another MCLAG on ports connected to cables B and D.
- D. Configure both FortiSwitch devices as peers with ISL over cable E, create one MCLAG on ports connected to cables A and C, and create another MCLAG on ports connected to cables B and D.

B and D.

Answer: AC

---

---

**Question: 2**

---

You want to manage a FortiCloud service. The FortiGate shows up in your list devices on the FortiCloud Web site, but all management functions are either missing or grayed out. Which statement is correct in this scenario?

- A. The managed FortiGate is running a version of FortiOS that is either too new or too old for FortiCloud.
- B. The managed FortiGate requires that a FortiCloud management license be purchased and applied.

- C. You must manually configure system control-management on the FortiGate CLI and set the management type to fortiguard.
- D. The management tunnel mode on the managed FortiGate must be changed to normal.


Answer: C

---

### Question: 3

---

Exhibit



```
config waf url-rewrite-rule
edit "NSE8-rule"
set action redirect
set location "https://$0/$1"
set host-status disable
set host-use-pserver disable
set referer-status disable
set referer-use-pserver disable
set url-status disable
config match-condition
edit 1
set reg-exp "(.*)"
set protocol-filter enable
next
edit 2
set object http-url
set reg-exp "^/(.*)$"
next
end
next
end

config waf url-rewrite url-rewrite-policy
edit "nse8-rewrite"
config rule
edit 1
set url-rewrite-rule-name "NSE8-rule"
next
end
next
end
```

Click the Exhibit button. The exhibit shows the steps for creating a URL rewrite policy on a FortiWeb.

Which statement represents the purpose of this policy?

- A. The policy redirects all HTTP URLs to HTTPS.
- B. The policy redirects all HTTPS URLs to HTTP.
- C. The policy redirects only HTTPS URLs containing the ^/(.\*)\$ string to HTTP.
- D. The policy redirects only HTTP URLs containing the ^/(.\*)\$ string to HTTPS.

---

Answer: A

Explanation:

[https://help.fortinet.com/fweb/581/Content/FortiWeb/fortiweb-admin/application\\_delivery.htm#application\\_delivery\\_1557589163\\_940788](https://help.fortinet.com/fweb/581/Content/FortiWeb/fortiweb-admin/application_delivery.htm#application_delivery_1557589163_940788)

---

Question: 4

You are asked to add a FortiDDoS to the network to combat detected slow connection attacks such as Slowloris.

Which prevention mode on FortiDDoS will protect you against this specific type of attack?

- A. aggressive aging mode
- B. rate limiting mode
- C. blocking mode
- D. asymmetric mode

---

Answer: A

Explanation:

[https://help.fortinet.com/fddos/4-3-0/FortiDDoS/Understanding\\_FortiDDoS\\_Prevention\\_Mode.htm](https://help.fortinet.com/fddos/4-3-0/FortiDDoS/Understanding_FortiDDoS_Prevention_Mode.htm)

---

Question: 5

You are building a FortiGala cluster which is stretched over two locations. The HA connections for the cluster are terminated on the data centers. Once the FortiGates have booted, they do not form a cluster. The network operators inform you that CRC errors are present on the switches where the FortiGates are connected.

What would you do to solve this problem?

- A. Replace the cables where the CRC errors occur.
- B. Change the ethernet type for the HA packets.
- C. Set the speed/duplex setting to 1 Gbps / Full Duplex.
- D. Place the HA interfaces in dedicated VLANs.

---

Answer: B

Explanation:

[https://certsgoal.com/fortinet/nse8\\_811-exam-questions/](https://certsgoal.com/fortinet/nse8_811-exam-questions/)

[https://help.fortinet.com/fos60hlp/60/Content/FortiOS/fortigate-high-availability/HA\\_failoverHeartbeat.htm#Heartbea](https://help.fortinet.com/fos60hlp/60/Content/FortiOS/fortigate-high-availability/HA_failoverHeartbeat.htm#Heartbea)

## ABOUT CERTSGOAL.COM

Certsgoal.com was founded in 2021. We provide latest & high-quality IT / Business Certification Training Exam Questions.

We help you pass any IT / Business Certification Exams with 100% Pass Guaranteed or Full Refund. Especially Microsoft, Cisco, CompTIA, Citrix, EMC, HP, Oracle, VMware, Juniper, Check Point, LPI, Nortel, EXIN and so on.

We prepare state-of-the art practice tests for certification exams. You can reach us at any of the email addresses listed below.

### **Sales:**

[sales@certsgoal.com](mailto:sales@certsgoal.com)

### **Support:**

[support@certsgoal.com](mailto:support@certsgoal.com)

Any problems about IT certification or our products, you can write us back and we will get back to you within 24 hours.

[https://certsgoal.com/fortinet/nse8\\_811-exam-questions/](https://certsgoal.com/fortinet/nse8_811-exam-questions/)